

user manual indicator ad 4321 Updated Version

user manual indicator ad 4321 is a crucial reference for users seeking to understand and maximize the functionality of their device. Whether you're a new owner or an experienced user, a comprehensive manual ensures proper operation, safety, and maintenance. In this article, we will explore everything you need to know about the user manual indicator ad 4321, including its features, troubleshooting tips, and maintenance guidelines, to help you get the most out of your device.

Introduction to User Manual Indicator AD 4321

Understanding the purpose and importance of the user manual indicator ad 4321 is essential for effective device management. This indicator serves as a visual or digital cue to inform users about the device's status, operational conditions, or errors, facilitating smooth and safe usage.

What is the User Manual Indicator AD 4321?

The user manual indicator ad 4321 is a built-in feature designed to provide real-time updates about the device's performance. It typically appears as an LED light, display message, or icon on the device interface, signaling various statuses such as readiness, errors, or maintenance requirements.

Why Is the Indicator Important?

- Safety: Alerts users to potential hazards or malfunctions.
- Efficiency: Guides users to perform necessary actions promptly.
- Longevity: Helps in maintaining the device properly, extending its lifespan.
- Troubleshooting: Aids in diagnosing issues quickly, reducing downtime.

Understanding the Indicator Lights and Messages

The user manual indicator ad 4321 communicates through various lights and messages. Recognizing these signals is key to maintaining optimal operation.

Common Indicator Lights

The device usually features a series of LED lights, each representing different statuses:

- **Green Light:** Device is operational and ready for use.
- **Yellow/Amber Light:** Warning or maintenance required soon.
- **Red Light:** Critical error or malfunction; immediate attention needed.

Typical Messages and Their Meanings

If your device displays messages via an LCD screen or digital interface, they might include:

- **Ready:** Device is functioning normally.
- **Maintenance Required:** Schedule servicing or cleaning.
- **Error Code AD 4321:** Specific fault identified; refer to troubleshooting section.
- **Shutdown:** Device has turned off due to safety concerns or errors.

Interpreting the AD 4321 Error Code

One of the most critical aspects of the indicator is the specific error code AD 4321, which appears when the device detects a particular issue.

What Does Error Code AD 4321 Indicate?

This error code generally signifies a malfunction related to the device's core functions. It may point to:

- Sensor failure
- Power supply issues
- Internal component malfunction
- Software glitch

However, the exact meaning should be confirmed by consulting the user manual specific to your device model.

Steps to Troubleshoot Error AD 4321

To resolve this error, follow these basic steps:

- **Power Cycle:** Turn off and unplug the device, then restart after a few minutes.
- **Check Connections:** Ensure all cables and connections are secure.
- **Inspect for Damage:** Look for visible signs of wear or damage.

- **Reset the Device:** Use the reset button or follow the manual instructions for a factory reset.
- **Update Firmware:** Check for software updates that may fix bugs causing the error.
- **Consult the Manual:** Refer to the troubleshooting section for specific guidance related to AD 4321.

If these steps do not resolve the issue, contacting customer support is recommended.

Maintaining the User Manual Indicator AD 4321

Proper maintenance of the indicator system ensures consistent performance and early detection of issues.

Regular Inspection and Cleaning

- **Visual Checks:** Regularly inspect indicator lights and messages for any irregularities.
- **Cleaning:** Keep the indicator area free from dust and debris using a soft, dry cloth.
- **Software Updates:** Ensure the device firmware and software are up-to-date to maintain accurate indicator functionality.

Calibration and Testing

Some devices require periodic calibration of sensors or indicator systems:

- Follow the manufacturer's instructions for calibration procedures.
- Perform test runs to verify indicator responses under different operational scenarios.

Record Keeping

Maintain logs of:

- Error occurrences
- Maintenance activities
- Firmware updates

This documentation helps in troubleshooting recurring issues and planning future maintenance.

Safety Precautions when Using the Indicator AD 4321

Adhering to safety guidelines ensures user safety and prevents device damage:

- Never ignore warning lights or messages indicating critical errors.
- Disconnect power before performing maintenance or inspections.
- Use only manufacturer-approved accessories and replacement parts.
- Follow the specific instructions outlined in the user manual for troubleshooting and repairs.

Frequently Asked Questions about User Manual Indicator AD 4321

How do I reset the indicator after an error?

Most devices allow resetting via a dedicated reset button or through the device menu. Refer to your user manual for exact procedures.

Can I ignore warning lights?

It is not advisable. Warning lights are designed to alert you to potential problems that may worsen if ignored, possibly leading to costly repairs or safety hazards.

Where can I find the user manual for my device?

User manuals are often included in the packaging, available on the manufacturer's website, or accessible through customer support portals.

Conclusion

The user manual indicator ad 4321 plays a vital role in ensuring the safe and efficient operation of your device. By understanding the meaning of various indicator lights and messages, troubleshooting errors like AD 4321, and performing regular maintenance, users can extend the lifespan of their equipment and prevent unexpected failures. Always keep the user manual accessible, follow safety guidelines, and stay proactive in device maintenance to maximize performance and safety. For any persistent issues or detailed instructions, consulting the manufacturer's support team is recommended. Proper attention to the indicator signals and manual guidance will ensure a smooth and trouble-free experience with your device.

User Manual Indicator AD 4321: An In-Depth Review and Analysis

The user manual indicator AD 4321 is a crucial feature embedded within the device's documentation, serving as a guiding beacon for users seeking clarity on operational functions, safety protocols, and troubleshooting procedures. As technology becomes increasingly complex,

understanding how to interpret and utilize these indicators effectively enhances user experience, safety, and device longevity. In this comprehensive review, we delve into the purpose, functionality, and best practices associated with the AD 4321 indicator, providing a detailed analysis for users, technicians, and industry professionals alike.

Understanding the User Manual Indicator AD 4321

What is the AD 4321 Indicator?

The AD 4321 indicator is a standardized alert or status indicator found within the user manual of specific electronic or mechanical devices. It functions as a visual or textual signpost designed to communicate critical information about the device's operational state, potential faults, or maintenance needs. Its designation AD 4321 serves as a unique identifier, allowing users to reference specific instructions, troubleshooting steps, or safety warnings associated with this indicator.

Typically, the indicator appears in the device's manual as a symbol, icon, or color-coded alert, supplemented by descriptive text. Its primary goal is to ensure users can quickly recognize and interpret device signals, reducing errors and enhancing overall safety.

Significance of User Manual Indicators in Modern Devices

Enhancing User Safety and Device Reliability

Modern devices are equipped with multiple indicators that serve as the first line of communication between the machine and the user. These indicators covering everything from LED lights to digital warnings are integral in preventing accidents, minimizing device downtime, and ensuring proper usage.

The AD 4321 indicator, specifically, is designed to alert users to:

- Malfunctions or errors
- Maintenance requirements
- Operational statuses (e.g., ready, standby, active)
- Safety warnings or hazards

By understanding these signals, users can respond promptly, reducing risks associated with malfunctioning equipment and ensuring compliance with safety standards.

Facilitating Troubleshooting and Maintenance

Proper interpretation of the AD 4321 indicator simplifies troubleshooting processes. When a device displays this indicator, users can refer directly to the manual to identify the problem's nature, possible causes, and corrective actions. This accelerates repair times and minimizes reliance on technical support, which can be costly and time-consuming.

Furthermore, regular monitoring of such indicators promotes proactive maintenance?detecting issues before they escalate?thus extending the lifespan of the device.

Features and Visual Indicators of AD 4321

Common Visual Elements

The AD 4321 indicator is commonly represented through a combination of visual cues, such as:

- Colors: Red (fault/error), yellow/amber (warning), green (normal operation), blue (information)
- Icons/Symbols: Exclamation marks, warning triangles, checkmarks, or device-specific icons
- Text Labels: Accompanying descriptions like "Error," "Maintenance Required," or "Standby"

The precise appearance may vary depending on the device manufacturer and model, but the core purpose remains consistent.

Behavior and Activation

The indicator can manifest in various ways:

- Steady Light: Denotes a stable status, such as normal operation or a specific alert
- Flashing Light: Represents urgent issues requiring immediate attention
- Color Changes: Transitioning from one color to another signals changing device states
- Digital Messages: On-screen notifications or messages providing detailed explanations

Understanding these behaviors is vital for accurate interpretation.

Deciphering the AD 4321 Indicator: Step-by-Step Analysis

Step 1: Recognize the Indicator's Appearance

Identify the visual cue associated with AD 4321 in your device?note color, symbol, or text. Cross-reference with the user manual to confirm that your observations correspond to this specific indicator.

Step 2: Consult the Official Documentation

Refer to the device's manual section dedicated to indicators or alerts. The manual should provide a detailed explanation of what the AD 4321 indicator signifies, including possible causes and recommended actions.

Step 3: Assess the Device's Operational Context

Evaluate what the device was doing when the indicator appeared. Was it during startup, normal operation, or after a specific action? Context helps narrow down potential issues.

Step 4: Implement Recommended Actions

Based on the manual's guidance, proceed with the suggested steps ranging from simple resets to complex repairs or safety procedures.

Step 5: Monitor and Follow Up

After taking action, observe whether the indicator clears or persists. Continuous monitoring ensures that issues are genuinely resolved.

Common Scenarios and Troubleshooting Strategies

Scenario 1: Steady Red Light with AD 4321

Possible Causes:

- Critical fault or device failure
- Safety hazard detected
- Hardware malfunction

Recommended Actions:

- Turn off the device immediately
- Consult the manual for specific troubleshooting steps related to the error code
- Contact authorized service personnel if necessary
- Do not attempt repairs unless qualified

Scenario 2: Flashing Yellow/Amber Light

Possible Causes:

- Warning for impending issues
- Maintenance required soon
- Low power or supply issues

Recommended Actions:

- Schedule maintenance or inspection
- Check power connections and supplies
- Clear any obstructions or operational errors

Scenario 3: Green Light Indicating Normal Operation**Implication:**

- Device functioning correctly
- No immediate concern

Best Practice:

- Continue regular monitoring
- Follow routine maintenance schedules

Best Practices for Users Dealing with AD 4321 Indicators

- Stay Informed: Always keep the user manual accessible and review indicator meanings periodically.
- Prioritize Safety: Never ignore critical warnings; turn off and secure the device if necessary.
- Record Incidents: Document occurrences of the AD 4321 indicator and actions taken to aid future troubleshooting.
- Schedule Regular Maintenance: Prevent issues that trigger indicators by adhering to maintenance schedules.
- Seek Professional Assistance: When in doubt, consult qualified technicians or the manufacturer's support services.

Future Trends and Considerations

As technology advances, user manual indicators like AD 4321 are expected to become more sophisticated and integrated with digital interfaces. Features such as:

- Smart Alerts: Integration with mobile apps for real-time notifications
- Predictive Diagnostics: Indicators that warn of potential failures before they occur
- Enhanced User Guidance: Embedded QR codes linking to detailed troubleshooting videos or manuals

These innovations aim to improve user safety, reduce downtime, and streamline maintenance processes.

Conclusion

The user manual indicator AD 4321 embodies a vital communication tool within modern devices, bridging the gap between complex machinery and user comprehension. Its effective interpretation requires understanding its visual cues, contextual relevance, and prescribed responses. By mastering these aspects, users can enhance operational safety, optimize device performance, and minimize downtime. As technology continues to evolve, so too will the sophistication of indicators like AD 4321, underscoring the importance of ongoing education and attentiveness in managing modern electronic and mechanical systems.

Question What does the 'AD 4321' indicator on the user manual signify? The 'AD 4321' indicator typically refers to a specific alert or status code detailed in the device's user manual, indicating a particular function or issue related to the device's operation. Please consult the manual's troubleshooting section for precise interpretation. **Answer** How do I reset the 'AD 4321' indicator on my device? To reset the 'AD 4321' indicator, follow the instructions in the user manual, which usually involves pressing a combination of buttons or powering off and on the device. Refer to the troubleshooting section for detailed steps specific to your model. Is the 'AD 4321' indicator an error message or a warning? The 'AD 4321' indicator can be either an error or a warning depending on the context provided in your device's manual. Usually, it signifies that attention is needed?check the manual for detailed explanations and solutions. What are the common causes for the 'AD 4321' indicator to appear? Common causes include system malfunctions, connectivity issues, or operational errors. The user manual details specific scenarios that trigger the 'AD 4321' indicator and recommended actions. Can I continue using the device when the 'AD 4321' indicator is flashing? It depends on the manual's guidance. Some indicators signal caution, allowing continued use with caution, while others require immediate attention. Refer to the user manual for safety instructions. Where can I find detailed troubleshooting steps for 'AD 4321' in the user manual? The troubleshooting section of the user manual, usually located towards the end, provides detailed steps

for resolving issues related to the 'AD 4321' indicator. Does the 'AD 4321' indicator require professional servicing? In many cases, if the indicator persists after following basic troubleshooting steps in the manual, professional servicing is recommended. The user manual will specify when to seek expert assistance. Are there any safety precautions associated with 'AD 4321' indicator alerts? Yes, the user manual emphasizes safety precautions such as disconnecting power or avoiding certain actions when the 'AD 4321' indicator is active to prevent damage or injury. How can I prevent the 'AD 4321' indicator from appearing frequently? Regular maintenance, proper device operation as outlined in the manual, and addressing initial warning signs promptly can help prevent frequent appearances of the 'AD 4321' indicator. Is there an official support resource for issues related to 'AD 4321'? Yes, consult the manufacturer's customer support or authorized service centers. The user manual often includes contact information for official support regarding the 'AD 4321' indicator.

Related keywords: user manual, indicator, AD 4321, instruction guide, product manual, user guide, display indicator, troubleshooting, features, specifications

Canon Ir1024 Default Admin Password

canon ir1024 default admin password is a common concern among users and administrators who manage this multifunction printer. The Canon iR1024 is a versatile and reliable device widely used in small to medium-sized offices for printing, copying, and scanning tasks. However, like many network-connected devices, it comes with default login credentials that can pose security risks if not changed promptly. Understanding the default admin password, how to reset it, and implementing best security practices are essential for safeguarding your device and network. This comprehensive guide aims to provide all necessary information related to the Canon iR1024 default admin password, ensuring you can configure your device securely and effectively.

Understanding the Canon iR1024 Default Admin Password

What Is the Default Admin Password?

The default admin password is a preset code that allows users to access the device's administrative settings. For the Canon iR1024, this password is typically set to a standard value by the manufacturer to enable initial setup and configuration.

Default Credentials:

- Username: admin

- Password: 4321

Note: These default credentials are often well-known and can be found in user manuals or online resources, making it critical to change them immediately after installation to prevent unauthorized access.

Importance of Changing the Default Password

Leaving the default admin password unchanged significantly increases the risk of unauthorized access, which could lead to:

- Unauthorized printing or copying
- Access to confidential documents
- Malicious configuration changes
- Potential network security breaches

Changing the default password is a simple yet vital step in securing your device.

Locating and Accessing the Admin Password on Canon iR1024

How to Log Into the Canon iR1024 Admin Panel

To change or verify the admin password, you need to access the device's embedded web interface or control panel:

- Identify the IP Address:
 - From the device's control panel, navigate to the network settings to find the IP address.
- Access via Web Browser:
 - Enter the IP address into a web browser.
 - When prompted for login credentials, input the default username and password:
 - Username: admin
 - Password: 4321

- Login and Navigate Settings:
- Once logged in, locate the Settings or Security menu to manage user accounts and passwords.

Alternative Method: Using the Control Panel

Some models allow direct access:

- Use the device's physical control panel.
- Navigate to the Settings or Management menu.
- Select Security Settings, then User Management.
- Enter the default credentials when prompted.

How to Change the Default Admin Password on Canon iR1024

Changing the default password is a straightforward process that enhances security.

Step-by-Step Guide to Changing the Admin Password

- Access the Device's Web Interface:
- Enter the device's IP address into a web browser.
- Log in using the current admin credentials (default or previously set).
- Navigate to Security Settings:
- Locate the Settings or Management tab.
- Find the User Management or Administrator Settings section.
- Select the Admin User Account:
- Choose the admin account to modify its password.

- Enter a New Strong Password:
 - Use a complex combination of letters, numbers, and symbols.
 - Avoid common passwords like "admin" or "1234."
- Save Changes:
 - Confirm and save the new password.
- Log Out and Test:
 - Log out and log back in with the new credentials to verify the change.

Best Practices for Creating a Secure Password

- Minimum 12 characters long
- Mix uppercase and lowercase letters
- Include numbers and special characters
- Avoid using easily guessable information like birthdays or common words

Resetting the Admin Password on Canon iR1024

If you forget the admin password or are unable to access the device, resetting it may be necessary.

Methods to Reset the Password

- Factory Reset

Performing a factory reset will restore default settings, including the default admin password.

Steps:

- Power off the device.

- Access the reset option via the control panel or service menu.
- Follow the on-screen instructions to reset.
- Note: This process may erase custom configurations.

- Use Service Mode

Some models allow password reset via service mode, which requires technical knowledge and caution.

Note: Only attempt this if you are trained or under professional guidance, as incorrect procedures can damage the device.

Important Considerations

- Always document new passwords securely.
- After resetting, be sure to change the default password immediately.
- Consider updating firmware to ensure security patches are applied.

Security Tips for Managing the Canon iR1024

Regularly Update Firmware

Keeping your device's firmware up to date ensures your device is protected against known vulnerabilities.

Disable Unnecessary Services

Disable features like Telnet, FTP, or SNMP if not required, reducing attack surfaces.

Enable SSL/TLS Encryption

Secure communication channels between your device and network.

Restrict Access

Use network firewalls and VLANs to limit who can access the device's admin interface.

Monitor Usage Logs

Regularly review logs for unauthorized access attempts or suspicious activity.

Common Questions About Canon iR1024 Default Admin Password

Is the default admin password the same for all Canon iR1024 devices?

While the common default password is "4321," some devices may have different defaults based on firmware versions or regional settings. Always consult your device's manual.

Can I change the default password remotely?

Yes, if your device is configured for remote management, you can change passwords through its web interface from any authorized device.

What should I do if I suspect my admin password has been compromised?

Reset the password immediately via the device's interface and review security logs for unauthorized activity. Consider performing a factory reset if necessary.

Conclusion

The canon ir1024 default admin password is a critical piece of information that every user should be aware of to maintain device security. Default passwords like "4321" provide easy initial access but pose significant risks if left unchanged. Always change the default credentials upon setup, create strong and unique passwords, and follow best practices for device security. In case of forgotten passwords or security breaches, utilize reset procedures responsibly, preferably with professional guidance. By staying proactive and vigilant, you can ensure your Canon iR1024 operates securely within your network environment while safeguarding sensitive information.

References

- Canon Official User Manuals
- Canon Support Website
- Network Security Best Practices
- IT Security Resources and Guidelines

Remember: Securing your device today prevents potential security issues tomorrow.

Canon IR1024 Default Admin Password: A Comprehensive Guide to Security and Configuration

In the realm of multifunction printers and copiers, the Canon IR1024 default admin password plays a pivotal role in ensuring the device's security and proper management. While these devices are essential for efficient document handling in offices and workplaces, their default passwords are often overlooked, posing potential security risks. Understanding the importance of the default admin password, how it functions, and best practices for configuration can help administrators safeguard their systems against unauthorized access.

Understanding the Canon IR1024 and Its Default Password

The Canon imageRUNNER 1024 (IR1024) is a popular multifunction device used in business environments for printing, copying, and scanning. Like most network-connected printers and MFPs, it comes pre-configured with default administrator credentials designed to facilitate initial setup and configuration.

Default Admin Password Significance

The default admin password is a preset sequence that grants administrative access to the device's web interface or control panel. This access allows authorized users to configure network settings, security options, device preferences, and firmware updates. However, if left unchanged, it becomes a vulnerability, as malicious actors can exploit it to gain control over the device, access sensitive documents, or even use it as an entry point into the corporate network.

Why Changing the Default Password Is Critical

- **Security Risks:** Default passwords are widely known or easily obtainable, making devices vulnerable to unauthorized access.
- **Data Protection:** Unauthorized access can lead to data breaches, especially if confidential documents are stored or transmitted through the device.
- **Network Security:** A compromised device can serve as a gateway for broader network attacks.
- **Compliance:** Many industry standards and regulations require proper device security configurations, including changing default passwords.

Locating the Default Admin Password for Canon IR1024

The default admin password is typically set at the factory and may vary based on the device's firmware version or regional settings. However, common default credentials for Canon IR1024 devices are often:

- **Username:** admin or leave blank

- Password: 12345, admin, or 00000000

To confirm the specific default password:

- Check the User Manual: Canon provides detailed setup guides that specify default credentials.
- Look at the Device Label: Some devices have default login details printed on a label or sticker.
- Contact Canon Support: Official support channels can confirm defaults based on serial number or firmware version.

Note: For security reasons, it's highly recommended to change the default password immediately after initial setup.

Accessing the Canon IR1024 Admin Panel

Step-by-step guide:

- Connect to the Network: Ensure your computer or device is connected to the same network as the Canon IR1024.
- Obtain the IP Address: Use the device's control panel to print a network configuration page or check the device menu.
- Open a Web Browser: Enter the IP address into the address bar.
- Login Screen: You should see the login prompt for administrator credentials.
- Enter the Default Credentials: Use the default username and password, or your customized login details if already changed.

Changing the Default Password: Best Practices

Once logged in, follow these guidelines to enhance security:

- Create a Strong Password: Use a combination of uppercase, lowercase, numbers, and special characters. Avoid common passwords like ?admin? or ?password.?
- Document the New Password: Keep a secure record for future reference.
- Update Firmware: Ensure the device runs the latest firmware to patch known vulnerabilities.
- Disable Unnecessary Services: Turn off features not in use to reduce attack surfaces.
- Limit Access: Restrict administrative access to specific IP addresses or user accounts.
- Regularly Review Settings: Periodically check device logs and settings for unauthorized changes.

How to Reset the Canon IR1024 Admin Password

If you forget the admin password or need to reset it, there are typically two options:

- Factory Reset:

- Access the device's reset menu via the control panel.
- Follow the prompts to restore default settings.
- Note: This will erase all custom configurations.

- Manual Reset via Service Mode:

- Some models allow password reset through service mode commands, but this often requires technical knowledge or support from Canon technicians.

Important: Performing a reset may void warranties or require professional assistance. Always consult the official manual or Canon support before proceeding.

Security Recommendations for Canon IR1024 Users

- Change Default Credentials Immediately: As soon as possible after initial setup.
- Use Unique, Complex Passwords: Avoid reusing passwords across devices or services.
- Enable Network Security Features: Use firewalls, VPNs, and network segmentation.
- Update Firmware Regularly: Keep the device's firmware current to protect against known vulnerabilities.
- Limit Physical Access: Keep the device in a secure location accessible only to authorized personnel.
- Monitor Usage Logs: Regularly review device logs for suspicious activities.

Conclusion

The Canon IR1024 default admin password is a critical element that, if left unchanged, can expose the device—and by extension, the entire network—to security threats. Proper configuration, including changing default credentials and implementing security best practices, is essential for maintaining a safe and efficient office environment. By understanding how to access, modify, and reset the admin password, users and administrators can ensure their devices operate securely and efficiently,

protecting sensitive data and maintaining organizational integrity.

Remember, security is an ongoing process. Regularly reviewing device settings, updating firmware, and staying informed about vulnerabilities will help you keep your Canon IR1024 and your network safe from potential threats.

Question What is the default administrator password for the Canon IR1024? The default administrator password for the Canon IR1024 is typically set to 'canon' or 'admin', but it may vary depending on the firmware version. It's recommended to check the device manual or reset the password if unsure. **Answer** How can I reset the admin password on my Canon IR1024 if I forgot it? To reset the admin password on the Canon IR1024, you can perform a factory reset of the device, which often restores default login credentials. Refer to the user manual for specific reset instructions or contact Canon support. Is the default admin password for the Canon IR1024 secure for network use? No, default passwords like 'admin' or 'canon' are widely known and can pose security risks. It's important to change the default password to a strong, unique one after initial setup to protect your device. Where can I find the default login credentials for the Canon IR1024? The default login credentials are usually listed in the user manual or quick start guide that comes with the device. Alternatively, you can find them on Canon's official support website or contact customer support. Can I change the admin password on the Canon IR1024 to improve security? Yes, you can and should change the default admin password through the device's web interface or control panel to enhance security and prevent unauthorized access. Are there any security risks associated with using the default admin password on the Canon IR1024? Using the default admin password can expose your device to unauthorized access, data breaches, and network vulnerabilities. It's strongly recommended to change the password immediately after setup.

Related keywords: canon ir1024 default admin password, canon ir1024 admin login, canon ir1024 reset password, canon ir1024 configuration, canon ir1024 login credentials, canon ir1024 admin access, canon ir1024 password recovery, canon ir1024 default password list, canon ir1024 admin setup, canon ir1024 security settings

Read the full article online: [Canon ir1024 default admin password](#)